



CATALOG

PARKING

BLOCKERS





Original design of 180°two way rocker.

It is a effective way to avoid the damage which is from outside force.

Reminding when the voltage is shortage,special manual features for emergency.

Automatic alarm when hit an obstacle.

Nice appearance,designed artfully

Airtight design stronger waterproof function.

Two ways protection,power off automatically

Strong stability,the maximum renitency is 2 tons.

Item	CWZ2E-S
Working Power(battery)	6V7AH
Static Current	3.5MA
Working Current	3.5A
Power Voltage	DC6V
Work Time/Recharge	3MONTHS
Up or Down Time	6S
Ascending Height	420mm
Descending Height	75mm
Remote Controlled Distance	≤15m
Environment Temperature	-20°C~+55°C
N.W.	8kg
G.w.	11kg
Dimensions	460×460×75mm
Canton Size	505×498×145mm
Container Capacity	750/20'1620/40'

Additional solar board can save energy

Original design of 180°two way rocker.

It is a effective way to avoid the damage which is from outside force.

Reminding when the voltage is shortage,special manual features for emergency.

Automatic alarm when hit an obstacle.

Nice appearance,designed artfully

Airtight design stronger waterproof function.

Two ways protection,power off automatically

Strong stability,the maximum renitency is 2 tons.



Item	CWZ2E-ES
Working Power(battery)	6V7AH
Static Current	3.5MA
Working Current	3.5A
Power Voltage	DC6V
Work Time/Recharge	3MONTHS
Up or Down Time	5S
Ascending Height	320mm
Descending Height	75mm
Remote Controlled Distance	≤15m
Environment Temperature	-20°C~+55°C
N.w./G.w.	7.8kg/10.5kg
The Size of Solar Panel	130×60×4.3mm
Dimensions	380×460×75mm
Canton Size	505×498×145mm
Container Capacity	750/20'1620/40'



Function and Features

Original design of 180° two way rocker.

It is a effective way to avoid the damage which is from outside force

Reminding when the voltage is shortage

Automatic alarm when hit an obstacle.

Nice appearance designed artfully

Airtight design stronger waterproof function

Two ways protection, power off automatically

Strong stability, the maximum retenency is 2 tons

Item	CWZSE-6E
Working Power(battery)	6V 7AH
Static Current	3.5MA
Working Current	3.5A
Power Voltage	DC6V
Work Time /Recharge	3MONTHS
Up or Down Time	5S
Ascending Height	430mm
Descending Height	80mm
Remote Controlled Distance	≤15m
Environment Temperature	-20°C ~ +55°C
N.w.	9KG
G.w.	10.5Kg
Dimensions	520*460*80mm
Canton Size	530*470*100mm
Container Capacity	1150/20' 2430/40'