

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**RFID ČITAČI KARTICA - WIEGAND PLATFORMA**



2	13	HASY-R148-EM-HID	kom	35.00
---	----	------------------	-----	-------

RFID ČITAČ KARTICA | HASY-R148 | 125KHz & HID | WIEGAND 26/34 | IP65 |  
- Material : Plastic case; Size: 110\*48\*20mm; Communication Distance WG<100M  
- Built-in LED (Double Color LED) and and Buzzer



2	14	HASY-R201-EM	kom	25.00
---	----	--------------	-----	-------

RFID ČITAČ KARTICA | HASY-R201 | 125KHz | WIEGAND 26 | IP65 | 9~12VDC  
- Communication Distance WG≤100M; Dimension: L77.5mm x W42.8mm x H16.5mm



2	15	HASY-R201-MF	kom	30.00
---	----	--------------	-----	-------

RFID ČITAČ KARTICA | HASY-R201 | 13.56MHz | WIEGAND 26 | IP65 | 9~12VDC  
- Communication Distance WG≤100M; Dimension: L77.5mm x W42.8mm x H16.5mm



2	18	HASY-R601	kom	45.00
---	----	-----------	-----	-------

RFID ČITAČ KARTICA | HASY | DUAL FREQUENCY | WIEGAND 26/34 | 9~15VDC  
- Dual frequency Card Reader; Acrylic panel, Plastic case; Size : 86\*86\*8.8mm  
- Frequency: 125Khz & 13.56Mhz; 13.56Mhz reader reject copy tag



2	20	HSY-P120EM	kom	91.00
---	----	------------	-----	-------

RFID Reader | Wiegand; EM 125Khz | IP68; Metal Case | Size: 120\*x56 x18mm |



2	21	HSY-P120M1	kom	105.00
---	----	------------	-----	--------

RFID Reader | Wiegand; M1 13.56Mhz | IP68; Metal Case | Size: 120\*x56 x18mm |

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**RFID ČITAČI KARTICA - SAMOSTALNI I WIEGAND**



3 31

RFID ČITAČ KARTICA | HASY-S212H-EM-NWP| SAMOSTALAN & WIEGAND IN/OUT |  
- Metal case, anti-vandal, digital backlit keypad, Silicone Keyboard; NON Waterproof  
- 2000 users, card (125KHz) or PIN code; Access way: card, pin, card+pin  
- Dim: 118x56x20mm; Temperature: -45°C~60°C



3 32

RFID ČITAČ KARTICA | HASY-S212H-EM-WP| SAMOSTALAN & WIEGAND IN/OUT |  
- Metal case, anti-vandal, digital backlit keypad, Silicone Keyboard; IP68 Waterproof  
- 2000 users, card (125KHz) or PIN code; Access way: card, pin, card+pin  
- Dim: 118x56x20mm; Temperature: -45°C~60°C



3 33

RFID ČITAČ KARTICA | HASY-S212-EM | SAMOSTALAN & WIEGAND 26 | METALNO KUĆIŠTE | IP68  
IP68 Waterproof standalone reader; 2000 users, card or PIN code  
Metal case, anti-vandal, digital backlit keypad, Metal Keyboard  
Three access way: card, pin, card + pin; Temperature: -45~60C°; Dim. 118 x 56 x 20mm



3 34

RFID ČITAČ KARTICA | HASY-S212-MF | SAMOSTALAN & WIEGAND | METALNO KUĆIŠTE | IP68  
- IP68 Waterproof standalone reader; 2000 users, card or PIN code  
- Metal case, anti-vandal, digital backlit keypad, Metal Keyboard  
- Three access way: card, pin, card + pin  
- WG26 input/output, with WG26 card reader function  
- Ambient temperature: -45~60C°; Dimension : 118 x 56 x 20mm



3 35

RFID ČITAČ KARTICA | HASY-ST02-EM | TOUCH TASTATURA | SAMOSTALAN | WG-OUT  
Touch Keypad Standalone reader; Door Opening Time: 0-99s (Adjustable)  
2000 users, card or PIN code; Accesses: card, pin, card + pin; Digital backlit touch keypad  
Temperature: -45 °C ~ 60 °C; Dimensions: 114 x 75 x 16mm




FOTO	OPIS PROIZVODA		JM	CENA (EUR)
	3 36	HASY-ST02-MF	kom	30.00
<p>RFID ČITAČ KARTICA   HASY-ST02-MF   TOUCH TASTATURA   SAMOSTALAN   WG-OUT Touch Keypad Standalone reader; Door Opening Time: 0-99s (Adjustable) 2000 users, card or PIN code; Accesses: card, pin, card + pin; Digital backlit touch keypad Temperature: -45 °C ~ 60 °C; Dimensions: 114 x 75 x 16mm</p>				
	3 37	HASY-315	kom	65.00
<p>Seriya HASY   RFID Čitač Kartica   EM, ili Mifare   "TOUCH" ŠIFRATOR   STAND ALONE - Display OLED; DC12V   -10°C ~ 55°C   Komunikacija: 1 x wiegan IN, 1 x wiegand out - 1000 Korisnika; Memorija za do 100,000 rekorda, "prenos" podataka pomoću USB-diska - Dimenzije: 117*78*22mm</p>				
	3 38	HASY-F107E	kom	35.00
<p>SKENER OTISKA PRSTA &amp; RFID ČITAČ KARTICA &amp; TASTATURA   HASY   WIEGAND - Fingerprint &amp; RFID Access Control; User capacity: Finger 1000, Card 1000, PIN 1000 - 3 access modes: fingerprint, card, PIN; Wiegand 26 bits output, with card reader function - Operating Voltage: DC12V; Dimensions: 88mm *88m m* 30mm</p>				

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**RFID ČITAČI KARTICA - DESKTOP (USB)**

4 81

HASY-U183-EM

kom

10.00

RFID ČITAČ KARTICA | HASY | USB - DESKTOP | EM 125MHz; Dimension: 110x80x25mm



4 82

HASY-U183-MF

kom

15.00

RFID ČITAČ KARTICA | HASY | USB - DESKTOP | MF 13.56GHz; Dimension: 110x80x25mm



4 83

HAY-U183-MRW

kom

45.00

RFID ČITAČ / PISAČ KARTICA | HASY | USB - DESKTOP | MF 13.56GHz; Dimension:  
110x80x25mm

4 84

HASY-HU606B

kom

115.00

UHF ČITAČ / PISAČ KARTICA | HASY | USB - DESKTOP | Frequency EU: 865~868MHz  
- Protocol: ISO18000-6B,ISO18000-6C (EPC GEN2)  
- FHSS or Fix Frequency transmission, standard FHSS  
- Built in antenna,Reader max distance 18cm, writer distance 8cm  
- Free DLL and DEMO Software source code to facilitate further development

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**DATA TERMINALI - PREPOZNAVANJE GEOM. LICA & RFID ČITAČ KARTICA**



5	41	HASY-SF03	kom	175.00
---	----	-----------	-----	--------

DATA TERMINAL-PREPOZNAVANJE GEOMETRIJE LICA & RFID ČITAČ KARTICA - TCP/IP & USB  
 - Dynamic Face Access Control; 4-inch IPS HD screen; Indoor/semi-outdoor; DC12V/2A  
 - Face user capacity: 2000; Card user capacity: 2000; Logs record: 200,000  
 - NO/CN output, door opening button input, WG26/34 input and output,  
 - Fire alarm input, door magnetic input, alarm output, RS485 input, and doorbell output  
 - Dimensions: 165x85x22mm



5	42	HASY-F301	kom	195.00
---	----	-----------	-----	--------

DATA TERMINAL-PREPOZNAVANJE GEOMETRIJE LICA & RFID ČITAČ KARTICA & TASTATURA  
 - TCP/IP & USB; Face Access Control and T & A  
 - User:1000 Facial, 10000 Cards; Record Capacity: 160000; Fingerprint Verified Mode: 1:1;  
 1:N  
 - Wireless Doorbell, Dual HD Dual camera; wiegand 26/34, tamper alarm, Reset function  
 - FRR: ≤0.01%; FAR: ≤0.0001%; Verification Speed: ≤1s  
 - Working Temperature: -10-45degree; Dimension: 172mm\*89mm\*31mm



5	43	HASY-F501	kom	245.00
---	----	-----------	-----	--------

DATA TERMINAL-PREPOZ. GEOMET. LICA & RFID ČITAČ KARTICA & TASTATURA & OTISAK  
 - TCP/IP & USB; Face Access Control and T & A  
 - User:1000 Facial, 10000 Cards; Record Capacity: 160000; Fingerprint Verified Mode: 1:1;  
 1:N  
 - Wireless Doorbell, Dual HD Dual camera; wiegand 26/34, tamper alarm, Reset function  
 - FRR: ≤0.01%; FAR: ≤0.0001%; Verification Speed: ≤1s  
 - Working Temperature: -10-45degree; Dimension: 172mm\*89mm\*31mm

FOTO

OPIS PROIZVODA

JM

CENA (EUR)

**QR BARCODE (QR) SKENERI SA INTEGISANIM RFID ČITAČIMA**



7 85

RA200-MF

kom

125.00

BARCODE SKENER | USB; WG | CMOS: QR, 2D, 1D & RFID Čitač KARTICA (125KHz)

- QR Code & RFID Card reader; Built in TCP/IP and USB port; WG26/WG34 output
- Decode support: QR and One dimensional code; Voltage: DC12V
- Reading distance:0~20cm; Size: 86L X 86W X42H (mm)



7 86

RA200-EM

kom

125.00

BARCODE SKENER | USB; WG | CMOS: QR, 2D, 1D & RFID Čitač KARTICA (13.56Mhz)

- QR Code & RFID Card reader; Built in TCP/IP and USB port; WG26/WG34 output
- Decode support: QR and One dimensional code; Voltage: DC12V
- Reading distance:0~20cm; Size: 86L X 86W X42H (mm)



7 87

RAA200-EM

kom

145.00

BARCODE SKENER | USB; TPC/IP | CMOS: QR, 2D, 1D & RFID Čitač KARTICA (125KHz)

- QR Code & RFID Card reader; Built in TCP/IP and USB port; WG26/WG34 output
- Decode support: QR and One dimensional code; Voltage: DC12V
- Reading distance:0~20cm; Size: 86L X 86W X42H (mm)



7 88

RAA200-IC

kom

145.00

BARCODE SKENER | USB; TCP/IP | CMOS: QR, 2D, 1D & RFID Čitač KARTICA (13.56MHz)

- QR Code & RFID Card reader; Built in TCP/IP and USB port; WG26/WG34 output
- Decode support: QR and One dimensional code; Voltage: DC12V
- Reading distance:0~20cm; Size: 86L X 86W X42H (mm)

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**EXIT TASTERI**



8 301 KA4-B kom 5.00

EXIT TASTER - UZIDNI - Size: 91\*28\*25mm; Material: Zinc alloy, stainless steel button  
- Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests



8 302 KA4 kom 5.50

EXIT TASTER - UZIDNI - Size: 86\*86\*25mm; Material: Zinc alloy, stainless steel button  
- Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests



8 303 KA4-C kom 8.50

EXIT TASTER - NAZIDNI - Size: 80\*30\*25mm; Material: Zinc alloy, stainless steel button  
- Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests



8 305 K4-BL kom 7.50

EXIT TASTER - UZIDNI SA LED (PLAVO SVETLO) PRSTENOM  
- Size: 91\*28\*40mm; Material: Zinc alloy, stainless steel button  
- Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests



8 306 KA4-L kom 7.50

EXIT TASTER - UZIDNI SA LED (PLAVO SVETLO) PRSTENOM  
- Size: 86\*86\*40mm; Material: Zinc alloy, stainless steel button  
- Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests



8 307 KA4-CL kom 10.00

EXIT TASTER - NAZIDNI SA LED (PLAVO SVETLO) PRSTENOM  
- Size: 80\*30\*25mm; Material: Zinc alloy, stainless steel button  
- Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests


FOTO	OPIS PROIZVODA		JM	CENA (EUR)
	8	311 AK6-B	kom	10.00
<p>EXIT "TOUCH" TASTER - NAZIDNI; LED Indicator; Output contact: NO/NC/COM; 12VDC - Touch screen exit button; SPDT touch sensitive switch unit designed - Dimensions : 86Lx50Wx20H(mm); Mechanical life: 100,000 tests</p>				



FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**OSTALO**

9 950

HASY-08

kom

7.00

ZAŠTITNI POKLOPAC | HASY | ZA RFID ČITAČE; PVC; ZAŠTITNA GUMA  
- Rain shield (rainproof housing); Dimension: Outside: 15cm\* 10.4cm\*9c  
- Inside: 13.5cm\*8.9cm\*8.4cm (L\*W\*Tlength is less than 13 cm)

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

**MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE**

11	181	SAL-370W	kom	245.00
----	-----	----------	-----	--------

MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE | HASY | 370W | 500kg  
- Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ  
- 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu



11	182	SAL-550W	kom	265.00
----	-----	----------	-----	--------

MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE | HASY | 550W | 1000kg  
- Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ  
- 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu



11	183	SAL-750W	kom	275.00
----	-----	----------	-----	--------

MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE | HASY | 750W | 1500kg  
- Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ  
- 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu



11	184	SAL-1200W	kom	295.00
----	-----	-----------	-----	--------

MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE | HASY | 1200W | 2500kg  
- Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ  
- 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu



FOTO	OPIS PROIZVODA		JM	CENA (EUR)
	11	185 ZLETVA8	kom	15.00
		ZUPČASTA LETVA ZA KRILNE KAPIJE   ČELIČNA   1m   8mm		
	11	186 ZLETVA12	kom	20.00
		ZUPČASTA LETVA ZA KRILNE KAPIJE   ČELIČNA   1m   12mm		

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------



13

150

HASY-E60

kom

35.00

ELEKTRO BRAVA | HASY | TIP: "DROP BOLT LOCK"; UNIVERZALNA

- Surface Mounted Bolt Lock; Fail safe, Locked when energized
- Lock Size: 150\*34\*28mm; Time Delay: 0/3/6sec; Door status Output,NO/COM
- Suitable For: Narrow Door ( Wooden/Metal or PVC Door)