








FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	1 YAS-130NO ELEKTRO-PRIHVATNIK short-type IMP-Fail secure (NO/COM) - 12VDC (opc. 24VDC) Stainless Steel 150Lx39.5Wx28H(mm) n/weight 0.3kg - CE sertifikat	kom	25.00
	2 AYS-130NC ELEKTRO-PRIHVATNIK short-type PPS-Fail safe (NC/COM) - 12VDC (opc. 24VDC) Stainless Steel 150Lx39.5Wx28H(mm) n/weight 0.3kg - CE sertifikat	kom	25.00
	11 YSA-132NO ELEKTRO-PRIHVATNIK European Long-type IMP-Fail Secure (NO/COM) - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat	kom	30.00
	12 YSA-132NC ELEKTRO-PRIHVATNIK European Long-type PPS-Fail Safe (NC/COM) - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat	kom	30.00
	13 YSA-132NO-S ELEKTRO-PRIHVATNIK European Long-type IMP-Fail Secure (NO/COM) Lock Status Output - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat	kom	35.00
	14 YSA-132NC-S ELEKTRO-PRIHVATNIK European Long-type PPS-Fail Safe (NC/COM) Lock Status Output - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat	kom	35.00
	15 YSA-138LK ELEKTRO-PRIHVATNIK Long-type European standard electric strike (NO/NC adjustable)	kom	45.00







FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	16 YAS-138LK-S ELEKTRO-PRIHVATNIK Long-type European standard electric strike (NO/NC adjustable) - W/signal output	kom	50.00
	17 YSA-138LK-S ELEKTRO-PRIHVATNIK - PODESIV HEAVY DUTY Long-type electric strike Eruopian type - Podesiv: Fail Safe (PPS) ; IMP-File Secure NC/NO/COM Lock Status Output NO/NC/COM - 12VDC (opcija 24VDC) Stainless Steel 250Lx32Wx33H(mm) 0.5kg CE sertifikat	kom	55.00
	18 YAS-137-S ELEKTRO-PRIHVATNIK European Standard Heavy Duty Electric Strike 1000kg - 12V/320mA; 24V/160mA Lock Status Output NO/NC/COM - 10~+55°C - 174Lx44Wx27H(mm) CE Sertifikat	kom	65.00
	21 ACAM-Y100 DROP BOLT GB Fail safe electric bolt NO/NC/COM 12VDC - Stainless Steel 800kg n/weight 0.75kg CE sertifikat PPS	kom	30.00
	22 ACAM-Y100S DROP BOLT GB Fail safe electric bolt W/signal Door status Output NC/COM 12VDC - Stainless Steel 800kg Autolock Time Delay: 0, 3, 6, 9sec - One side is key, another side is knob n/weight 0.75kg CE sertifikat PPS	kom	35.00
	23 ACAM-Y500A/B DROP BOLT GB Fail Secure Sturdiness ELECTRIC BOLT W/narrow panel; cylinder - Face Plate 210Lx25WX42H(m); Strike 90Lx25Wx3H(m); Bolt 16(lengthmm) - Voltage 12VDC (option) Start Current 960m Standby Current 180mA - Autolock Time Delay 0,3,6,9s Door statue signal output contact NO, C - Cylinder One side is key, another side is knobSolid Bolt Holding Force 1000Kg - Suitable For wooden door,metal door, PVC door - Surface Temp Low TemperatureInduction Distance 8mm - LED Light on indicates locked, light off indicates unlocked - Face place material 304 stainless steel, wire draw finishing - Weight 1kg Patent No. 201420532821.5	kom	70.00








FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	24 ACAM-Y800 DROP BOLT GB Fail secure sturdiness electric bolt with cylinder Door status Output NC/COM - 12VDC (opcija 24VDC) Stainless Steel 1000kg Autolock Time Delay: 0, 3, 6, 9sec - One side is key, another side is knob n/weight 1.0kg CE sertifikat IMPULSNI	kom	75.00
	32 YAEH-210 Sliding Rail Door and Window Dedicated Electric Hook Lock - YAEH-210 Dimension 79Lx45.5Wx34.3H(mm) Door catch 91Lx30Wx25.85H(mm) Voltage 12VDC Current 100mA Holding Force 300kg Operating Temp -40°C~+50°C Operating Humidity >95% Weight 0.35kg	kom	25.00
	41 YMA-70 Single door magnetic lock GB 60kg (120lbs) 12VDC; 120mA 0.6kg MINI - Option: 24VDC; 150mA CE Sertifikat	kom	20.00
	42 YMA-70-S Single door magnetic lock W/signal output 70kg (140lbs) 12VDC; 130mA 0.7kg - Option: 24VDC; 150mA CE Sertifikat	kom	30.00
	43 YMA-180M-S Single door magnetic lock GB W/signal output 180kg (350lbs) 12VDC; 300mA 1.2kg - Option: 24VDC; 150mA CE Sertifikat	kom	35.00
	45 YMA-280(LED)-DS Single door magnetic lock GB W/LED & door sensor 280kg (600lbs) 12VDC; 350mA 2.1kg - Option: 24VDC; 250mA CE Sertifikat	kom	45.00
	47 YMA-350(LED)-DS Single door magnetic lock GB W/LED & door sensor 350kg (800lbs) 12VDC; 340mA 2.7kg - Option: 24VDC; 240mA CE Sertifikat	kom	50.00








FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	51 YMA-500T(LED) Single door magnetic lock GB W/LED & Signal & time 500kg (1200lbs) 24VDC; 210mA 4.7kg	kom	75.00
	56 YMA-750DT(LED) Single door magnetic lock W/LED & Signal & time 1500kg (3000lbs) 24VDC; 420mA 11.8kg	kom	290.00
	61 ACAM-M59 HIDRAULICNI ZATVARAC VRATA GB Door closer (40-60kgs) - Krilo 950mm -20°C ~ 45°C MFCB 1,000,000 CE Sertifikat	kom	25.00
	62 ACAAM-M60 HIDRAULICNI ZATVARAC VRATA GB Door closer (60-80kgs) - Krilo 1050mm -20°C ~ 45°C MFCB 1,000,000 CE Sertifikat	kom	30.00
	63 ACM-M61 HIDRAULICNI ZATVARAC VRATA GB Door closer (100-120kgs) - Krilo 1,200mm -20°C ~ 45°C MFCB 1,000,000 CE Sertifikat	kom	40.00
	71 PBKA-815 EXIT TASTER - NAZIDNI GB Push button with back box (aluminium) 32mm×83mm	kom	10.00
	72 PBKA-815(LED) EXIT TASTER - NAZIDNI LED GB Push button with back box & LED (aluminium) 32mm×83mm	kom	12.50












FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	73 PBKA-814A EXIT TASTER - UZIDNI GB Push button (stainless steel) 115*40*40mm; IP67	kom	15.00
	74 PBKA-814(LED) EXIT TASTER - UZIDNI LED GB Push button (stainless steel) 115*40*40mm; IP67	kom	20.00
	75 YKSA-851EN EXIT (EMERGENCY) KLJUC - PREKIDAC DVOPOLNI - European type emergency key switch (zinc alloy) 86mm×86mm, 5 kljuceva	kom	45.00
	77 AYAT-131BT BEŽIČNI (EXIT) TASTER - Approval CE & ISO9001 Power input AC/DC 12-36V Frequency 433MHz - Static current 15mA Action current 80mA (DC12V Power)	kom	65.00
	91 DLKA-401 MEHANIZAM za uvođenje kabla u plot vrata - tip 0 Door loop for exposed mounting	kom	15.00
	92 DLKA-403A MEHANIZAM za uvođenje kabla u plot vrata - tip A Door loop (zinc alloy)	kom	9.00
	93 DLKA-403B MEHANIZAM za uvođenje kabla u plot vrata - tip B Door loop (zinc alloy)	kom	15.00

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	94 DLKASS-402 MEHANIZAM za uvodjenje kabla u plot vrata - tip M Door loop for mortise mounting, stainless steel za uvodjenje kabla u plot vrata	kom	19.00
	100 APCB-504 KONVERTER NAPONA 12 ~ 28VDC na 12VDC (stabilisan)	kom	10.00
	101 APCB-501 INTERLLCKING MODUL za dvoja sugnosna vrata Size: 69Lx60Wx15H (mm) 5A/24V - Suitable for door Fail - safe ectriclocks with signal output - 20~+70°C 0.07kg	kom	30.00
	150 ACAM-Y60-70ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 60kg/70kg - ZL Bracket For 180kg mag lock	kom	8.00
	151 ACAM-Y180ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 180kg/600lbs - ZL Bracket For 180kg mag lock	kom	20.00
	152 ACAM-Y280ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 280kg/600lbs - ZL Bracket For 280kg mag lock	kom	15.00
	200 AYE-302A Electric Cabinet Lock Size- 54.5Lx41Wx28H(mm); Pin length- 10Lx10Wx10H(mm) - Voltage- DC12V, Current- 0.65A ± 10% Temperature -40°C~+50°C; Weight-0.18kg - Suitable for- File Cabinet , Display Cabinet	kom	15.00

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
	201 AYB-80 ELEKTRO-BRAVA - TIP: DROP BOLT - MINI - Size: 70.3Lx59WX27.5H(mm); Voltage: DC12V, Current: 100mA -40°C~+60°C - Safe feature NO or NC; Weight: 0.2kg	kom	30.00
	202 YAE-305 Electric Cabinet Lock - YAE-305 - Size 64.1Lx40Wx25H(mm) Holding force > 150KG Voltage DC12V Current 100mA - Security Type Power off (NC) Weight 0.18kg	kom	30.00
	211 YAE-301 Electric Cabinet Lock - YAE-301 - Size 55Lx55Wx25H(mm) Pin length 18mm Pin diameter 7mm Voltage 12VDC Current 320mA - Weight 0.12kg	kom	30.00
	212 YAE-304 Electric Cabinet Lock - YAE-304 - Size 50Lx30.2Wx26.8H(m), Holding force > 15; Voltage DC1; Current 100mA - Feature Fail safe(NC)Fail secure(NO) Suitable for File Cabinet ,Disply Cabinet - Weight 0.18kg	kom	35.00