






PREPREKE ZA PESAKE, trokake rotacione, krilne, roto | oprema poreklo Kina | po kvalitetu i performansama ne razlikuju se od slične opreme evropskih proizvođača. Sva oprema ima CE Sertifikate. Cena, naravno znatno niža u ovoj klasi izdržljivosti, minimum MCBF > 3,500,000 (ciklusa)

FOTO	OPIS PROIZVODA	JM	CENA
	A400410 PK SERIJA (SIN-A400410) KRILNA AUTOMATSKA PREPREKA - Material:304 Stainless steel; Size: Ø168*1050mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤850mm - Service Life:≥3 million times	kom	945.00
	A110100 PK SERIJA (SIN-A110100) TROKRAKA ROTACIONA PREPREKA - STUB - Material:304 Stainless steel; Size: 420x333x980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	995.00
	A100101 PK SERIJA (SIN-A100101) TROKRAKA ROTACIONA PREPREKA - STUB - Material:304 Stainless steel; Size: 420x333x980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	1,100.00
	A110102 PK SERIJA (SIN-A110102) TROKRAKA ROTACIONA PREPREKA - STUB - OBOSTRANO - Material:304 Stainless steel; Size: 420x333x980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	1,350.00
	A110110 PK SERIJA (SIN-A110110) TROKRAKA ROTACIONA PREPREKA - MOST - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	850.00

PREPREKE ZA PESAKE, trokrate rotacione, krilne, roto | oprema poreklo Kina | po kvalitetu i performansama ne razlikuju se od slične opreme evropskih proizvođača. Sva oprema ima CE Sertifikate. Cena, naravno znatno niža u ovoj klasi izdržljivosti, minimum MCBF > 3,500,000 (ciklusa)

FOTO	OPIS PROIZVODA	JM	CENA
	<p>A110110D</p> <p>PK SERIJA (SIN-A110110D) TROKRAKA ROTACIONA PREPREKA - MOST - PADAJUĆA POLUGA</p> <ul style="list-style-type: none"> - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ (24VDC); Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times - Sertifikati: CE; FCC; RoHS 	kom	1,250.00
	<p>A110117</p> <p>PK SERIJA (SIN-A110117) TROKRAKA ROTACIONA PREPREKA - MOST - PADAJUĆA POLUGA</p> <ul style="list-style-type: none"> - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥4 million times 	kom	1,450.00
	<p>A800815</p> <p>PK SERIJA (SIN-A800115) JEDNOKRAKA "PADAJUĆA" PREPREKA - LEVI/DESNI KORPUS</p> <ul style="list-style-type: none"> - Material:304 Stainless steel; Size: 1200*200*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤600mm - Service Life (MCBF):≥ 5 million times 	kom	1,345.00
	<p>A800816</p> <p>PK SERIJA (SIN-A800116) JEDNOKRAKA "PADAJUĆA" PREPREKA - CENTRALNI KORPUS</p> <ul style="list-style-type: none"> - Material:304 Stainless steel; Size: 1200*200*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: 2 x ≤600mm - Service Life (MCBF):≥ 5 million times 	kom	1,745.00
	<p>A200203</p> <p>PK SERIJA (A200203) BRZA "FLAPS" AUTOMATSKA PREPREKA LEVI / DESNI KORPUS</p> <ul style="list-style-type: none"> - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times 	kom	2,450.00

PREPREKE ZA PESAKE, trokrate rotacione, krilne, roto | oprema poreklo Kina | po kvalitetu i performansama ne razlikuju se od slične opreme evropskih proizvođača. Sva oprema ima CE Sertifikate. Cena, naravno znatno niža u ovoj klasi izdržljivosti, minimum MCBF > 3,500,000 (ciklusa)

FOTO	OPIS PROIZVODA	JM	CENA
	A200204 PK SERIJA (A200204) BRZA "FLAPS" AUTOMATSKA PREPREKA CENTRALNI KORPUS - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times	kom	2,950.00
	A200207-F-L-R PK SERIJA (A200207-F-L-R) BRZA K"FLAPS" AUTOMATSKA PREPREKA LEVI / DESNI KORPUS - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times	kom	2,500.00
	A200208-F-C PK SERIJA (A200208-F-C) BRZA K"FLAPS" AUTOMATSKA PREPREKA CENTRALNI KORPUS - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times	kom	3,000.00
	A200215-L-R PK SERIJA (A200215-L-R) BRZA "FLAPS" AUTOMATSKA PREPREKA LEVI / DESNI KORPUS - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	2,750.00
	A200216-C PK SERIJA (A200216-C) BRZA "FLAPS" AUTOMATSKA PREPREKA CENTRALNI KORPUS - Material:304 Stainless steel; Size: 1200*280*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	3,450.00




PREPREKE ZA PESAKE, trokrate rotacione, krilne, roto | oprema poreklo Kina | po kvalitetu i performansama ne razlikuju se od slične opreme evropskih proizvođača. Sva oprema ima CE Sertifikate. Cena, naravno znatno niža u ovoj klasi izdržljivosti, minimum MCBF > 3,500,000 (ciklusa)

FOTO	OPIS PROIZVODA	JM	CENA
	A600613 PK SERIJA (A600613) BRZA KRILNA AUTOMATSKA PREPREKA LEVI / DESNI KORPUS - Material:304 Stainless steel; Size: 1200*200*1000mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	2,450.00
	A600614 PK SERIJA (A600614) BRZA KRILNA AUTOMATSKA PREPREKA CENTRALNI KORPUS - Material:304 Stainless steel; Size: 1200*200*1000mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	3,450.00
	A600610 PK SERIJA (A600610) BRZA KRILNA AUTOMATSKA PREPREKA LEVI / DESNI KORPUS - Material:304 Stainless steel; Size: 1200*200*1000mm - Input Voltage: 110/220VAC,50HZ; Entrance Width:≤550mm - Service Life (MCBF):≥3 million times	kom	1,500.00
	A600612 PK SERIJA (A600612) BRZA KRILNA AUTOMATSKA PREPREKA CENTRALNI KORPUS - Material:304 Stainless steel; Size: 1200*200*1000mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	2,450.00
	A700717-41-L-R PK SERIJA (A700717-41-L-R) BRZA KRILNA AUTOMATSKA PREPREKA LEVI / DESNI KORPUS - Material:304 Stainless steel; Size: 1400*180*1000mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	2,850.00

PREPREKE ZA PESAKE, trokake rotacione, krilne, roto | oprema poreklo Kina | po kvalitetu i performansama ne razlikuju se od slične opreme evropskih proizvođača. Sva oprema ima CE Sertifikate. Cena, naravno znatno niža u ovoj klasi izdržljivosti, minimum MCBF > 3,500,000 (ciklusa)

FOTO	OPIS PROIZVODA	JM	CENA
	A700718-41-C PK SERIJA (A700718-41-C) BRZA KRILNA AUTOMATSKA PREPREKA CENTRALNI KORPUS - Material:304 Stainless steel; Size: 1400*180*1000mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥3 million times	kom	3,850.00
	A500515 PK SERIJA (SIN-A500515) KRILNA "UVLAČEĆA" AUTOMATSKA PREPREKA L/D KORPUS - Material:304 Stainless steel; Size: 1200*330*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times	kom	2,750.00
	A500516 PK SERIJA (SIN-A500516) KRILNA "UVLAČEĆA" AUTOMATSKA PREPREKA CENT. KORPUS - Material:304 Stainless steel; Size: 1200*330*980mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤550mm - Service Life (MCBF):≥5 million times	kom	3,450.00
	A400400 PK SERIJA - MEHANIČKA KRILNA PREPREKA (600 ~ 900mm)	kom	195.00
	SIN-30 PK SERIJA (SIN-30) KRILNA AUTOMATSKA PREPREKA - Material:304 Stainless steel; Size: Ø168*1050mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤850mm - Service Life:≥3 million times	kom	800.00

PREPREKE ZA PESAKE, trokrate rotacione, krilne, roto | oprema poreklo Kina | po kvalitetu i performansama ne razlikuju se od slične opreme evropskih proizvođača. Sva oprema ima CE Sertifikate. Cena, naravno znatno niža u ovoj klasi izdržljivosti, minimum MCBF > 3,500,000 (ciklusa)

FOTO	OPIS PROIZVODA	JM	CENA
 <p>A700721</p>	A700721 PK SERIJA (SIN-A700721) KRILNA AUTOMATSKA PREPREKA - Material:304 Stainless steel; Size: Ø168*1050mm (single ≤350mm) - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤850mm - Service Life:≥3 million times	kom	3,950.00
 <p>A900911</p>	A900911 PK SERIJA (SIN-A900911) ROTO ("ČEŠALJ") VRATA - JEDAN PROLAZA - Material:304 Stainless steel; Size: 1350*1500*2300mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤600mm - Service Life:≥5 million times	kom	3,950.00
 <p>A900921</p>	A900921 PK SERIJA (SIN-A900921) ROTO ("ČEŠALJ") VRATA - DVA PROLAZA - Material:304 Stainless steel; Size: 1450*2300*2300mm - Input Voltage: 110/220VAC,50HZ; Entrance Width: ≤600mm - Service Life:≥6 million times	kom	7,000.00