



# MOTOR: DA180S, BI-DIREKSIONI

Sertifikati: CE, FCC i RoHS

Namena: Krilna vrata (staklena, drvena, AL); Kapije (izvedba IP68)



## Floor Concealed Door Closers

Model No.: DA180S

What are Floor Concealed Door Closers?

The overhead or floor mounted concealed door closer is a very common type of door closer mechanism which is normally unseen and unnoticed. ... Some concealed closers only allow single directional control for opening and closing to a fixed point or door stop.

## TEHNIČKE KARAKTERISTIKE


Maximum door weight	180kg
Maximum door width	1200mm
Maximum torque	165Nm
Noise	<60dB
Opening and closing time	6-12S
Open range	86°~95°
Power supply	AC220V ±10% 50/60Hz
Rated power	55W
Special machine power	<2W
Operating temperature	-20°C~55°C
Protection level	IP68
Control box size	156x120x46mm
Unit size	320x110x70mm
Unit weight	9.25KG



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs

# INSTALLATION DIAGRAM

Automatic door installation diagram



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs

# GLASS DOOR FLOOR SPRING

Hidden Installation  
Elegant Design **D180S**



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs

# WATERPROOF IP68

Only limit at motor



**NO.1**

Built-in sealed waterproof  
rubber ring



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs