

Datum (Date): 08/04/2022god.



PAMETNA BRAVA (BATERIJE) – SPOLJNA PRIMENA

PART NO: SA31B

OTVARA: KLJUČ, OTISAK PRSTA, RFID KARTICA, ŠIFRA I APP (ZA MOBILNI)

NAMENA: ZA REZIDENCIJALNE OBJEKTE, APARTMANE, KANCELARIJE ITD.

MATERIJAL: 304 stainless steel

USLOVI KORIŠĆENJA: WODO-OTPORNA I OTPORNA NA PRAŠINU

NAPON: 4 x AAA BATERIJE



NIŽE, SVE U ORIGINALU

Slide Electronic Door Locks Digital Electric Cord Door Locks With Lock Cylinder

1. Product Introduction

This is our new-designed aluminum smart door lock. Adopt the latest structural design, which panel width is only 38 mm, be suitable for any aluminum door which frame is more than 46mm. This lock can also be used for wooden and security doors, and fits all kinds of mortise.

With advanced APP management, via WiFi or Bluetooth to connect the smart lock to your smartphone, and you can manage your smart door lock anywhere and anytime. Convenient smart lift is coming.

2. Product Function

1. 6 ways to unlock: WiFi APP Access(optional), Bluetooth APP Access, Fingerprint Unlock, Card Unlock, PIN Code Unlock, Mechanical Key Unlock;
2. Convenient APP management system, you can manage your smart lock anytime and anywhere;
3. You can manage a large number of locks with just one phone;
4. Time-limited password settings, suitable for various scenarios;
5. Multi-level administrator settings to help you better manage your smart buildings;
6. Query unlock records anytime and anywhere, the first time to know your home security;
7. The compact size fits all wooden doors and metal doors;
8. FPC fingerprint reader gives you the best security experience;
9. Emergency power supply in case of lost power;
10. We can customize production according to your requirements, OEM/ODM;

3.Product Parameters

Product Name	Electronic Door Locks With Lock Cylinder
Model Number	SA31B
Ways to Unlock	APP Bluetooth, WiFi, Fingerprint, Password, Card, Mechanical Key
Material	304 stainless steel
Color	Silver, Gray, Golden, Black
Application	Office, Shopping mall, Residential, Apartment
Size	280mm*38mm
Door Thickness to Fit	30mm~80mm
Mortise	All type
Working Temperature	-20°C~70°C
Working Humidity	20%~90%
Working Voltage	6V (4x AAA Batteries)
Undervoltage Warning	Below 4.8V
Battery Life Span	Support 10,000 Times of Locking & Unlocking Operation
Static Power Consumption	<30uA
Card Type	RFID Card
Data Capacity	Unlimited
Fingerprint Sensor	FPC Fingerprint Sensor
Fingerprint False Reject Rate	<0.01%
Fingerprint False Accept Rate	<0.00003%

