

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
------	--------------------------------------	----	---------------

BRAVICE, ELEKTRO-PRIHVATNICI I ELEKTRO "DROP BOLT" BRAVE













 <p>CAB-91 ELEKTRO-BRAVICA 91(12VDC); 91B(24VDC) 55 x 23 x 28mm</p>	<p>1 1 CAB-91</p> <p>EPEKTRO BRAVICA CAB-91 12VDC; 55 x 23 x 28mm; - Power on- Open / Power off- Lock - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati</p>	kom	10.00
 <p>CAB-91 ELEKTRO-BRAVICA 91(12VDC); 91B(24VDC) 55 x 23 x 28mm</p>	<p>1 2 CAB-91B</p> <p>EPEKTRO BRAVICA CAB-91B 24VDC; 55 x 23 x 28mm; - Power on- Open / Power off- Lock - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati</p>	kom	13.00
	<p>1 6 YSA-132NO</p> <p>ELEKTRO-PRIHVATNIK European Long-type IMP-Fail Secure (NO/COM) - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat</p>	kom	25.00
	<p>1 7 YSA-132NC</p> <p>ELEKTRO-PRIHVATNIK European Long-type PPS-Fail Safe (NC/COM) - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat</p>	kom	25.00
	<p>1 9 YAB-80</p> <p>ELEKTRO-BRAVA - TIP: DROP BOLT - MINI Tip F. SECURE(IMP) - Size: 70.3Lx59WX27.5H(mm); Voltage: DC12V, Current: 100mA -40°C~+60°C - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati</p>	kom	30.00
	<p>1 10 SM203.00.10</p> <p>ELEKTRO-BRAVA ! Tip Drop bolt; F.SECURE(IMP); Sa signalom, napajanje 12 V/0.085 A - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati</p>	kg	35.00
	<p>1 11 SM203.00</p> <p>ELEKTRO-BRAVA ! Tip Drop bolt; F.SAFE(PP); napajanje 12 V/0.085 A - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati</p>	kg	35.00

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
 <p>BAL-2300 "Dead Bolt" ELEKTRO-BRAVA 2300 Fail secure (IMP); 2300B Fail safe</p>	1 15 <input type="text" value="BAL-2300"/> EPEKTRO BRAVA ("DEAD BOLT") BAL-2300 - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	40.00
	1 16 <input type="text" value="ACAM-Y500A/B"/> DROP BOLT GB Fail Secure Sturdiness ELECTRIC BOLT W/narrow panel; cylinder - Face Plate 210Lx25WX42H(m); Strike 90Lx25Wx3H(m); Bolt 16(lengthmm) - Voltage 12VDC (option) Start Current 960m Standby Current 180mA - Autolock Time Delay 0,3,6,9s Door statue signal output contact NO、 C - Cylinder One side is key, another side is knobSolid Bolt Holding Force 1000Kg - Suitable For wooden door,metal door, PVC door - Surface Temp Low TemperatureInduction Distance 8mm - LED Light on indicates locked, light off indicates unlocked - Face place material 304 stainless steel, wire draw finishing - Weight 1kg Patent No. 201420532821.5	kom	70.00
 <p>BAL-2600B "Dead Bolt" ELEKTRO-BRAVA 12VDC; NO/COM/NC</p>	1 17 <input type="text" value="BAL-2600B"/> EPEKTRO BRAVA ("DEAD BOLT") BAL-2600B - Sa cilindrem (leptir) i 3 ključa - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	75.00
	1 18 <input type="text" value="BAL-2900"/> EPEKTRO BRAVA ("DEAD BOLT") BAL-2900 Sa statusom (LED Indikator) - Sa cilindrem (leptir) i 3 ključa - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	80.00
	1 19 <input type="text" value="YAB-900"/> ELEKTRO BRAVE YAB-900 ZA GARAŽNA VRATA, PEŠAČKU KAPIJU ITD.	kom	50.00

EPEKTRO-MAGNETNE BRAVE


 <p>12V/160mA</p>	2 1 <input type="text" value="ACAM-Y60"/> EPEKTRO-MAGNETNA BRAVA ACAM-Y60 Drži 60kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	20.00
---	--	-----	-------













FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	2 2 ACAM-Y180 ELEKTRO-MAGNETNA BRAVA ACAM-Y180 Drži 180kg - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	35.00
	2 3 ACAM-Y180M ELEKTRO-MAGNETNA BRAVA ACAM-Y180M Drži 180kg sa statusom - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	40.00
	2 20 ELA-200 ELEKTRO-MAGNETNA BRAVA ELA-200 Drži 70kg - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	30.00
	2 21 ELA-600ST ELEKTRO-MAGNETNA BRAVA ELA-600ST Drži 280kg - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	50.00
	2 22 ELA-600S ELEKTRO-MAGNETNA BRAVA ELA-600S sa signalom Drži 280kg - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	55.00
	2 25 ELA-800 ELEKTRO-MAGNETNA BRAVA ELA-800 Drži 350kg - Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	65.00
	2 26 ELA-1200ST ELEKTRO-MAGNETNA BRAVA ELA-1200 Drži 500kg - Electromagnetic Door Lock With Led/ Door Sensor And 2 Relay - Napajanje podesivo 12/24VDC; Isporučuje se bez napajanja; CE, FCc, RoHS Sertifikati	kom	125.00

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	2 30 ELA-W220 ELEKTRO-MAGNETNA BRAVA ELA-W220 Drži 110kg; IP66; F-SAFE - Za dvorišne kapije itd. 12VDC; -10°C ~ 55°C ; - Brava 160L x 28W x 19H mm; Ploča 130L x 28W x 11H mm - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	55.00

ELEKTRO-BRAVE ZA KLIZNA VRATA I PROZORE

	3 1 YEAH-210 ELEKTRO BRAVA YEAH-210 Za klizna vrata i prozore; F-SAFE; Drži 300kg - 12VDC; Opcija 24VDC; -40°C~ +50°C; - Dimenzije: 79Lx45.5Wx34.3H(mm); CE Sertifikat	kom	40.00
	3 2 YASD-220 ELEKTRO BRAVA YASD-220 Za klizna vrata i prozore; F-SECURE; Drži 450kg - 12VDC; Opcija 24VDC; -20°C~ +50°C - Dimenzije: 150Lx25Wx38H(mm); 150Lx25Wx53H(mm); CE Sertifikat	kom	150.00
	3 3 YASD-230 ELEKTRO BRAVA YASD-320 Za klizna vrata i prozore; F-SECURE; Drži 450kg - 12VDC; Opcija 24VDC; -20°C~ +50°C; NO/COM/NC - Dimenzije: 150Lx25Wx38H(mm); 150Lx25Wx53H(mm); CE Sertifikat	kom	150.00
	3 4 ELA-150 ELEKTRO-MAGNETNA BRAVA ELA-150 Za automatska klizna vrata; Drži 60kg - 12VDC; Opcija 24VDC; -20°C~ +50°C; CE Sertifikat	kom	75.00

ELEKTRO BRAVE ZA STAKLENA VRATA













	4 1 BAK-08A ELEKTRO BRAVA BAK-08A Za staklena vrata BEZ rama	kom	47.50
--	---	-----	-------

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	4 2 BAL-2800 ELEKTRO BRAVA BAL-2800 Za staklena vrata SA ramom	kom	45.00
	4 6 ACAM-Y500U ELEKTRO BRAVICA GB ZA STAKLENA VRATA - DOK TRAJU ZALIHE	kom	70.00

ELEKTRO BRAVICE ZA FIOKE, PRETINCE ITD

	5 1 YAE-301 Electric Cabinet Lock - YAE-301 - Size 55Lx55Wx25H(mm) Pin length 18mm Pin diameter 7mm Voltage 12VDC Current 320mA - Weight 0.12kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	30.00
 YEA-303 ELEKTRO-BRAVICA; 12VDC Za fioke, gard. ormariće itd. 116Lx35Wx33H(mm); F-Safe	5 2 YAE-303 ELEKTRO BRAVICA ZA FIOKE YAE-303 12VDC, F-SAFE - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	30.00
	5 3 YAE-304 Electric Cabinet Lock - YAE-304 - Size 50Lx30.2Wx26.8H(m), Holding force > 15; Voltage DC1; Current 100mA - Feature Fail safe(NC)Fail secure(NO) Suitable for File Cabinet ,Disply Cabinet - Weight 0.18k Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	35.00
 YEA-305NO ELEKTRO-BRAVICA; 12VDC Za fioke, gard. ormariće itd. 61Lx40.8Wx25H(mm)	5 4 YAE-305NO ELEKTRO BRAVICA ZA FIOKE YAE-305NO 12VDC, F-SAFE - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati	kom	45.00

ELEKTRO-MAGNETI - DRŽAČI VRATA

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	7 1 A4A-34A ELEKTRO-MAGNET A4A-34A DRŽAČ ZA VRATA - Montaža na pod, ili zid	kom	50.00
	7 3 A4A-34B ELEKTRO-MAGNET A4A-34B DRŽAČ ZA STAKLENA VRATA - Montaža na pod, ili zid	kom	55.00
	7 3 A4A-39A ELEKTRO-MAGNET A4A-39A DRŽAČ ZA VRATA - Montaža na zid	kom	55.00
	7 4 A4A-39D ELEKTRO-MAGNET A4A-39D DRŽAČ ZA STAKLENA VRATA - Montaža na zid	kom	60.00
	7 7 A4A-31 ELEKTRO/MAGNET A4A-31 DRŽAČ ZA VRATA - Montaža na zid	kom	45.00
	7 8 A4A-33 ELEKTRO-MAGNET A4A-33 DRŽAČ ZA VRATA - Montaža na pod	kom	50.00

MEHANIZMI ZA VRATA









	8 1 DAL-34 KONEKTOR DAL-34 0~36V (VCD/VAC ; 5A ("Tappet Contacts 2p") - Za povezivanje kablova u PLOTU vrata sa kablovima u ŠTOKU vrata - Material: Plated brass	kom	15.00
--	---	-----	-------

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	8 2 DAL-34B KONEKTOR DAL-34B 0-36VDC/VAC/5A ("Tappet Contacts 3p") - Za povezivanje kablova u PLOTU vrata sa kablovima u ŠTOKU vrata - Material: Plated brass	kom	15.00
	8 3 DAL-36B MEHANIZAM ZA PROVLAČENJE KABLA IZMEĐU PLOTA VRATA I ŠTOKA DAL-36B - Hose Material: Stainless Steel Head Material: Zinc Alloy Wire diameter: 8mm	kom	5.00
	8 4 DAL-37 MEHANIZAM ZA PROVLAČENJE KABLA IZMEĐU PLOTA VRATA I ŠTOKA DAL-37	kom	15.00






KORISNA ELEKTRONIKA ZA ADAPTACIJU VRATA ZA EIKP SISTEME

	9 5 A4A-504 KONVERTER NAPONA A4A-504 Input:12-28VDC (Blue); Output: 12VDC / 1A (Green) - Dimensions: 40Lx27Wx12H(mm) -20°C ~ 70°C	kom	7.00
	9 7 17206 KONVERTER NAPONA A4A-504 DC/DC konvertor LM2596S, 2A, 150kHz, sa LED displejem - Input 3-40V, - Output 1.5-35VDC - Podesiv (inkrement 0.01DVC=, Eff 92%, LED displej step down	kom	10.00
	9 8 ASA-505R VREMENSKI RELEJ - A4A-505R 12VDC; 40mA; Podesiv 0 ~ 30S;	kom	7.00





INTERLOCK MODULE

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	10 1 A4A-501 INTERLOCK MODULE A4A-501 69Lx60Wx15H(mm) Max. Overload: 5A/24V - PRIMENA: Applied to double-door interlocking doors -20°C ~ 70°C - Isporučuje se bez napajanja	kom	45.00

HIDRAULIČNI ZATVARAČI VRATA

	11 1 A4DL-045 HIDRAULIČNI ZARVARAČ VRATA A4DL-045 45kg; Prema EN1154 Standardu - Vrata 0.8m/90°; Težine do: 50~65kg; -40°C~80°C; Dimenzije: 145x57x37mm - Two stages of adjustable speed; CE Sertifikat	kom	35.00
	11 2 A4DL-060 HIDRAULIČNI ZARVARAČ VRATA A4DL-060 60kg; Prema EN1154 Standardu - Vrata 1m/90°; Težine do: 50~65kg; -40°C~80°C; Dimenzije: 175x65x40mm - Two stages of adjustable speed; CE Sertifikat	kom	40.00
	11 3 A4DL-080 HIDRAULIČNI ZARVARAČ VRATA A4DL-080 80kg; Prema EN1154 Standardu - Vrata 1.2m/90°; Težine do: 50~65kg; -40°C~80°C; Dimenzije: 202x69x44mm - Two stages of adjustable speed; CE Sertifikat	kom	45.00
	11 4 A4DL-120 HIDRAULIČNI ZARVARAČ VRATA A4DL-1200 120kg; Prema EN1154 Standardu - Vrata 1.03~1.25m/90°; Težine do: 90~120kg; -40°C~80°C; Dimenzije: 224x62x41.5mm - Two stages of adjustable speed; CE Sertifikat	kom	55.00
	11 5 ACAM-M60 HIDRAULIČNI ZATVARAČ VRATA GB 65kg; CE sertifikat - DOK TRAJU ZALIHE	kom	25.00

NOSAČI "L" I "Z" ZA ELEKTRO-MAHNETNE BRAVE (MAGNETI)

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	12 1 ACAM-Y60-70ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 60kg/70kg - ZL Bracket For 180kg mag lock	kom	8.00
	12 2 180ZL Nosač za montažu elektro-magneta (180kg) "štok" vrata	kom	30.00
	12 3 ACAM-Y280ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 280kg/600lbs - ZL Bracket For 280kg mag lock	kom	15.00
	12 4 MBK-180UL Nosač za montažu elektro-magneta (180kg) na staklena vrata	kom	15.00