

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
------	--------------------------------------	----	---------------

SEMAFORI - STANDARDNI (Ø 100mm; Ø 200mm i Ø 300mm)











	1 1 100ClearRG [SRB] PARKING SEMAFOR LED Ø 100mm; CRVENO - ZELENO COBWEB 220V; IP65 [ENG] TRAFFIC LIGHT LED Ø 100mm; RED - GREEN COBWEB 220V; IP65	kom	195.00
	1 2 200CobwebRG [SRB] PARKING SEMAFOR LED Ø 200mm; CRVENO - ZELENO COBWEB 220V; IP65 [ENG] TRAFFIC LIGHT LED Ø 200mm; RED - GREEN COBWEB 220V; IP65	kom	245.00
	1 3 300CobwebRG [SRB] PARKING SEMAFOR LED Ø 300mm; CRVENO - ZELENO COBWEB 220V; IP65 [ENG] TRAFFIC LIGHT LED Ø300mm; RED - GREEN COBWEB 220V; IP65	kom	295.00
	1 5 200HA-212 [SRB] PEŠAČKI SEMAFOR 200HA-D212 LED Ø 200mm; COBWEB 220V; IP65 [ENG] PEDESTRIANS TRAFFIC LIGHT LED Ø 200mm; RED - GREEN - Traffic pedestrian cross traffic signal lights - Sertifikati: CE i FCC.	kom	195.00
	1 7 200HA-D212 [SRB] PEŠAČKI SEMAFOR 200HA-D212 LED Ø 200mm; COBWEB 220V; IP65 [ENG] PEDESTRIANS TRAFFIC LIGHT LED Ø 200mm; RED / GREEN COBWEB 220V; IP65 - Pedestrian+countdown: full red / green light 200mm - Traffic pedestrian cross traffic signal lights - Sertifikati: CE i FCC.	kom	245.00
	1 9 100CobwedRYG SEMAFOR LED Ø 100mm; CRVENO - ŽUTO - ZELENO COBWEB 220V; IP65 [ENG] TRAFFIC LIGHT LED Ø 100mm; RED - YELLOW - GREEN COBWEB 220V; IP65	kom	245.00
	1 10 200CobwebRYG SEMAFOR LED Ø 200mm; CRVENO - ŽUTO - ZELENO COBWEB 220V; IP65 [ENG] TRAFFIC LIGHT LED Ø 200mm; RED - YELLOW - GREEN COBWEB 220V; IP65	kom	345.00

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	1 11 300CobwebRYG SEMAFOR LED Ø 300mm; CRVENO - ŽUTO - ZELENO COBWEB 220V; IP65 [ENG] TRAFFIC LIGHT LED Ø 300mm; RED - YELLOW - GREEN COBWEB 220V; IP65	kom	495.00
	1 20 AMBER200 SAOBRAĆAJNO Upozoravajuce trepcuce svetlo (amaber) ZUTO Ø 200mm 230V - CE Setifikat (EN12368) bez napajanja - opcije: 24VDC; Solarno napajanje	kom	145.00
	1 21 AMBER300 SAOBRAĆAJNO Upozoravajuce trepcuce svetlo (amaber) ZUTO Ø 300mm 230V - CE Setifikat (EN12368) bez napajanja - opcije: 24VDC; Solarno napajanje	kom	175.00

LED MARKACIJA ZA LETVE RAMPE, TOTEME ITD.








	2 1 VRB-CRVENO-4W LED MARKACIJA - CRVENO x 4 LED - ZA LETVU RAMPE IP68 Dim: 87 x 23 x 12mm - Bez napajanja (12VDC); pripremljen za montažu "uradi sam" - Fiksiranje, samoescima Ø3.9mm, otvor za kabl Ø12mm	kom	5.50
	2 2 RED-6W LED MARKACIJA CRVENO (1 x 6 LED) - ZA LETVU RAMPE IP68 - Dim: 95 x 20 x 10 mm; Bez napajanja (12VDC); pripremljen za montažu "uradi sam" - Fiksiranje, samoescima Ø3.9mm, otvor za kabl Ø8mm	kom	7.50
	2 3 GREEN-6W LED MARKACIJA ZELENO (1 x 6 LED) - ZA LETVU RAMPE IP68 - Dim: 95 x 20 x 10 mm; Bez napajanja (12VDC); pripremljen za montažu "uradi sam" - Fiksiranje, samoescima Ø3.9mm, otvor za kabl Ø8mm	kom	7.50
	2 4 RED & GREEN-12W LED MARKACIJA CRVENO & ZELENO (2 x 6 LED) - ZA LETVU RAMPE IP68 - Dim: 2 x 95 x 20 x 10 mm; Bez napajanja (12VDC); pripremljen za montažu "uradi sam" - Fiksiranje, samoescima Ø3.9mm, otvor za kabl Ø8mm	kom	15.00

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	2 11 ALB1081-1-3W-Y LED MARKACIJA - AMBER (TREPČUĆE) - ZA LETVU RAMPE IP68 - 18 flash patterns; 12V-24V Dim: Dim: 12 x 4.5 x 3.5cm bez napajanja - With memory function Options: Red/Blue/White/Green - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	20.00
	2 12 LB1082-1B-4WT LED MARKACIJA - CRVENO/ZELENO (TREPČUĆE) - ZA LETVU RAMPE IP68 - LED (x4) 4W 2 x RED; 2 x GREEN, IP68 4"L x 1.8"W x 1.1"H - 12V-24V ; 4"L x 1.8"W x 1.1"H; bez napajanja - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	30.00
	2 13 A-SEM-52RG MINI LED SEMAFOR CRVENO I ZELENO Ø 52mm AL KUĆIŠTE ZA LETVU RAMPE - Dimenzije: 2 x 100x60x50mm; 0.9kg 12VDC - 40°C do + 80°C bez napajanja - Zgodan da se "okači" na letvu rampe, kućište rampe ili parkig stub - Proizvodnja www.aspekt.rs (Made in Serbia) - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	85.00

SEMAFORSKI MODULI ZA DALJU UGRADNJU







	3 1 Red cluster 52 MINI SEMAFOR CRVENO Ø 52mm (debljina 40mm) 12VDC, BEZ NAPAJANJA - Housing Material: GE UV resistance PC; -40°C~+80°C; LED QTY: 45pcs - Certifications: CE (LVD, EMC) , EN12368, ISO9001, ISO14001, IP55 - ZA DALJU UGRADNJU (na kućište rampe, parking stub, kabinet itd.)	kom	15.00
	3 2 Green cluster 52 MINI SEMAFOR ZELENO Ø 52mm (debljina 40mm) 12VDC, BEZ NAPAJANJA - Housing Material: GE UV resistance PC; -40°C~+80°C; LED QTY: 45pcs - Certifications: CE (LVD, EMC) , EN12368, ISO9001, ISO14001, IP55 - ZA DALJU UGRADNJU (na kućište rampe, parking stub, kabinet itd.)	kom	20.00
	3 5 AHA-R100RG PARKING SEMAFOR - MODUL - LED Ø 100mm; CRVENO - ZELENO [ENG] TRAFFIC LIGHT MODULE - LED Ø 100mm; RED - GREEN With Sun Vistor (Ligh hat) - LED Color: Red & Green; Waterproof:: IP 65; LED quantity: 40pcs each color; Power: 2W; - Voltage: DC12V; Shell material: PC; Certificate: CE; Rohs - Isporučuje se bez napajanja, po principu "URADI SAM"	kom	45.00
	3 6 AHA-100RXGA PARKING SEMAFOR - MODUL - LED Ø 100mm; CRVENO - X; ZELENO - STRELICA [ENG] TRAFFIC LIGHT MODULE - LED Ø 100mm; RED X - GREEN ARROW With Sun Vistor (Ligh hat) - LED Color: Red X & Green Arrow; Waterproof:: IP 65; LED quantity: 28pcs each color - Power: 2W; Voltage: DC12V; Shell material: PC; Type: LED; Certificate: CE; Rohs - Isporučuje se bez napajanja, po principu "URADI SAM"	kom	50.00

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
 <p>SEMAFOR Ø 125mm ZA UGRADNJU NA STUB (TOTEM) 1 X LANTERNA, LED (COBWEB) 12VDC</p>	<p>3 7 AHA-125RXGA</p> <p>PARKING SEMAFOR - MODUL - LED Ø 125mm; CRVENO - X; ZELENO - STRELICA [ENG] TRAFFIC LIGHT MODULE - LED Ø 100mm; RED X - GREEN ARROW With Sun Vistor (Ligh hat) - LED Color: Red X & Green Arrow; Waterproof:: IP 65; LED quantity: 28pcs each color - Power: 2W; Voltage: DC12V; Shell material: PC; Type: LED; Certificate: CE; Rohs - Isporučuje se bez napajanja, po principu "URADI SAM"</p>	kom	75.00

SIGNALNI TORNJEVI - UPOZORAVAJUĆA SVETLA

	<p>4 1 P01-3J 24V</p> <p>Signalni Toranj - Crvena, Žuta, Zelena sa Zujalicom 85dB, 24V DC, IP53 - Pouzdani signalni toranj za opštu i industrijsku namenu</p>	kom	35.00
	<p>4 2 LTA-505WJ3 24V</p> <p>SIGNALNI TORANJ CRVENO, ŽUTO, ZELENO Trepćuće i Zujalica - LED, 24V DC, 3 x 3W; Pouzdani signalni toranj za opštu i industrijsku namenu.</p>	kom	45.00
	<p>4 3 SSRM Zuto</p> <p>Rotaciona upozoravajuca lampa zuto 230V Ø80mm x 135mm </p>	kom	12.00

MINI SAMAFORSKA SIGNALIZACIJA ZA SISTEME KONTROLE PRISTUPA







	<p>5 1 A-SEM-08RG</p> <p>MINI LED SEMAFOR CRVENO-ZELENO Ø 8mm ZA SISTEME KONTROLE PRISTUPA - Prednja maska - klirit 3mm (sjajno crno); LED signalne sijalice u inox kućištu - Dimenzije semafora: 120x120xmm; 0.2kg 24VDC - 40°C do + 80°C bez napajanja - Opcija: FINDER Step relej 1NO+1NC 24VAC (20.00 EUR) (20.23.2) - Proizvodnja www.aspekt.rs (Made in Serbia) - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"</p>	kom	15.00
	<p>5 2 A-SEM-08RYG</p> <p>MINI LED SEMAFOR CRVENO-ŽUTO-ZELENO Ø 8mm ZA SISTEME KONTROLE PRISTUPA - Prednja maska - klirit 3mm (sjajno crno); LED signalne sijalice u inox kućištu - Dimenzije semafora: 120x120xmm; 0.2kg 24VDC - 40°C do + 80°C bez napajanja - Proizvodnja www.aspekt.rs (Made in Serbia) - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"</p>	kom	15.00


FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	5 3 MASKAcluster52 PREDNJA MASKA ZA UGRADNJU MINI SEMAFORA Ø 52mm - KLIRIT 170x100mm (3mm) sa perforiranim otvorima i UV štampom	kom	10.00

ULIČNA RASVETA





	6 1 Stub2500-3500 STUB dvosegmentni čelični H=2500 ~ 3500mm Ø101 / Ø60mm sa anker-korpom - za semaforSKU signalizaciju, rasvetu, kamere itd. zaštićen osnovnom bojom - Završna boja po izboru naručioca (RAL karta)	kom	350.00
	6 2 Stub3500-Lira100 ULIČNA RASVETA Dvosegmentni čelični stub visine H=3,5m, sa lirom 1,00m, ugao 30° U stubu se nalazi odgovarajuća priključna ploča sa FRA osiguračem. Uz stub se isporučuje ankerkorpa sa navrtkama. Stub je zaštićen osnovnom bojom protiv korozije, ofarban u završnu boju (RALkarta), crna mat (po izboru naručioca)	kom	375.00
	6 3 MOMENTUM 1 ULIČNA RASVETA Svetiljka tip "MOMENTUM 1" led 40W	kom	145.00
	6 4 Roma1x10W-0800mm Parking stubić SA LED (10W) SVETLOM LB visina 800mm 230V; K10; IP65 - i za montažu IR barijere, RFID čitača itd. - DOK TRAJU ZALIHE	kom	95.00

RAZNI MODULI ZA DALJU UGRADNJU I REZERVNI DELOVI

	8 1 RK 3553 MINI PREKIDAČ INTENZITET SVETLOST 230VAC i sa regulacijom osetljivosti - 10 ~ 20Lux - NOĆ (ON) 30 ~ 80Lux - DAN (OFF) -20°C ~ +55°C - Dimenzije: 50x53x30mm, bez kutije, za dalju ugradnju	kom	10.00
--	---	-----	-------

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	8 2 PCNXA LED SEMAFOR Ø 100mm PCB Crveno (X) / Zeleno (strelica) - za otvor Ø 100mm, ili □ 80 x 80mm, 12 ~ 24VDC CE Setifikat (EN12368) - za ugradnju na parking stub, ili direktno na rampu bez napajanja - bez kucista; raspoloživo uputsvo za ugradnju "uradi sam"	kom	40.00

KOMPLETI - SEMAFORI - NAMENSKI - "PLUG AND PLAY"

	9 1 MINISEMAFOR52 SEMAFOR NA TOTEMU H=1,2m LED Crveno - Zeleno Ø 52mm 12VDC - Aluminijumski profil 150x100x1200mm (3mm) sa anker pločom i krovicom - Temperature: -40°C~+80°C; IP55; Isporučije se bez napajanja - REFLEKTUJUĆA SIGNALNA SAOBRAČAJNA TRAKA Sertifikat: ECE 104 Class C - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	145.00
	9 2 MINISEMAFOR100 SEMAFOR NA TOTEMU H=1,2m 1 X LANTERNA LED CrvenoX-Zeleno> Ø100mm 12VDC - Aluminijumski profil 150x100x1200mm (3mm) sa anker pločom i krovicom - Temperature: -40°C~+80°C; IP55; Isporučije se bez napajanja - REFLEKTUJUĆA SIGNALNA SAOBRAČAJNA TRAKA Sertifikat: ECE 104 Class C - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	145.00
	9 3 YATJD100-3-FM2P1202 SEMAFOR NA TOTEMU H=1,2m 1 X LANTERNA LED Crveno - Zeleno Ø 100mm 12VDC - Aluminijumski profil 150x100x1200mm (3mm) sa anker pločom i krovicom - Temperature: -40°C~+80°C; IP55; Isporučije se bez napajanja - Certifications: CE(LVD, EMC) , EN12368, ISO9001, ISO14001, IP55 - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	145.00
	9 4 A-SEM-52RG-PLEX MINI LED SEMAFOR CRVENO & ZELENO 2 x xLED Ø 52mm KLIRIT MASKA UV OTPORNA - Dimenzije: 170x80x3mm; 0.7kg 12VDC - 40°C do + 80°C bez napajanja - Zgodan da se ugradi na totem ili, kućište rampe ili parkig stub - Proizvodnja www.aspekt.rs (Made in Serbia) - BEZ NAPAJANJA; PRIPREMLJEN ZA MONTAŽU "URADI SAM"	kom	70.00

REFLEKTUJUĆE SIGNALNE SAOBRAČAJNE TRAKE ZA LETVU RAMPE I PARKING TOTEME







	10 1 ARF Y104T REFLEKTUJUĆA SIGNALNA SAOBRAČAJNA TRAKA - ŽUTA (3M) za tvrdu podlogu - Sertifikat: ECE 104 Class C Rolna 50m/širina 50mm cena po 1m dužnom	kom	1.85
--	---	-----	------

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	10 2 A983-72 REFLEKTUJUĆA SIGNALNA SAOBRAČAJNA TRAKA - CRVENA (3M) za tvrdu podlogu - Sertifikat: ECE 104 Class C Rolna 50m/širina 50mm cena po 1m dužnom	m	3.00
	10 2 ARF W104T REFLEKTUJUĆA SIGNALNA SAOBRAČAJNA TRAKA - BELA (3M) za tvrdu podlogu - Sertifikat: ECE 104 Class C Rolna 50m/širina 50mm cena po 1m dužnom	kom	2.85
	10 5 KAT- Ø60 REFLEKTUJUĆA SIGNALNA SAOBRAČAJNA MARKACIJA - CRVENO - KATADIOPTER Ø 60mm - Za letvu rampe, efikasniji i dugotrajniji od reflektujuće trake	kom	4.00

OPCIJE LED MARKACIJE ZA LETVU RAMPE LED TRAKOM

	13 1 LED-TRK-6000 LED (SMD) MARKACIJA ZA LETVU RAMPE 30094 TRAKA Š=8mm; 4.8W 1m DUŽNI - LED TRAKA HLADNO BELA SMD2835 4.8W/M IP65; Boja svetlosti: 6000K - Jačina (snaga): 4.8W; Napon: 12V; Širina: 8mm; IP standard: IP65 - BEZ NAPAJANJA; PRIPREMLJENA ZA MONTAŽU "URADI SAM"	m	10.00
	13 2 LED-TRK-RGB LED (SMD) MARKACIJA ZA LETVU RAMPE 30099 TRAKA Š=10mm; 7.2W 1m DUŽNI - LED TRAKA RGB SMD5050 7.2W/M - 30LED/M IP68; Boja svetlosti: RGB; - Jačina (snaga): 7.2W; Napon: 12V; Dimovanje: DA; Širina: 10mm; IP standard: IP68 - BEZ NAPAJANJA; PRIPREMLJENA ZA MONTAŽU "URADI SAM"	m	15.00

REZERVNI DELOVI




	14 1 SP-HAT100 REZERVNI DEO (SPARE PART) - KUĆIŠTE ZA SEMAFORSKI MODUL Ø 100mm	kom	10.00
--	---	-----	-------

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	14 2 SP-HAT125 REZERVNI DEO (SPARE PART) - KUĆIŠTE ZA SEMAFORSKI MODUL Ø 125mm	kom	15.00
	14 3 KUTIJAcluster52 ALU KUTIJA ZA UGRADNJU MINI SEMAFORA Ø 52mm - ALUMINIJUMSKA KUTIJA (brunirana) 100x60x50mm sa perforiranim otvorima	kom	15.00