








FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
------	--------------------------------------	----	---------------

ACC. KONTROLERI - NAJVIŠI STEPEN SIGURNOSTI - PROFI OPREMA

	1 1 AE02-3.NET ACC. Kontroler za JEDNA ili DVOJA vrata za JEDNU, ili DVE WG periferije (RFID čitača,...) - Posebno dizajniran za primenu na PEŠAČKIM PREPREKAMA; Comm: TCP/IP ili RS485 - Kapacitet: ID 30,000; Rec. 60,000; anti-pass; on-line ili off line režim rada - Web Server (SDK) do max. 254 kontrolera (508 Vrata) na jednom SW Server-u - ULAZI: za Exit tastera, za senzor vrata; za PP alarm - IZLAZI (relay): za dvoja vrata; za dve sirene; Sretifikati CE i RoHS	kom	140.00
	1 2 AE01 ACC. Kontroler za JEDNA vrata za DVE wiegand (26, 34, 37) periferije (RFID čitača,...) - TCP/IP Kapacitet: ID 30,000; Rec. 60,000; anti-pass; on-line ili off line režim rada - Web Server (SDK) do max. 254 kontrolera - ULAZI: za jedan Exit taster, za jedan senzor vrata; za jedan PP alarm - IZLAZI (relay): za jedna vrata; za jednu sirenu; Sretifikati CE i RoHS	kom	150.00
	1 3 AE02 ACC. Kontroler za DVOJA vrata za ČETIRI wiegand (26, 34, 37) periferije (RFID čitača,...) - TCP/IP Kapacitet: ID 30,000; Rec. 60,000; anti-pass; on-line ili off line režim rada - Web Server (SDK) do max. 254 kontrolera - ULAZI: za dva Exit tastera, za dva senzora vrata; za dva PP alarma - IZLAZI (relay): za dvoja vrata; za dve sirene; Sretifikati CE i RoHS	kom	175.00
	1 4 AE04 ACC. Kontroler za ČETVORA vrata za ČETIRI wiegand (26, 34, 37) periferije (RFID čitača,...) - TCP/IP Kapacitet: ID 30,000; Rec. 60,000; anti-pass; on-line ili off line režim rada - Web Server (SDK) do max. 254 kontrolera - ULAZI: za četiri Exit tastera, za četiri senzora vrata; za dva PP alarma - IZLAZI (relay): za četvora vrata; za dve sirene; Sretifikati CE i RoHS	kom	225.00
	1 5 AED04 ACC. Kontroler za ČETVORA vrata za OSAM wiegand (26, 34, 37) periferije (RFID čitača,...) - Ili OSAM RS485 periferija; Dozvoljeno je i kombinovanje WG i RS48 periferija - TCP/IP Kapacitet: ID 30,000; Rec. 60,000; anti-pass; on-line ili off line režim rada - Web Server (SDK) do max. 254 kontrolera - ULAZI: za četiri Exit tastera, za četiri senzora vrata; za dva PP alarma - IZLAZI (relay): za četvora vrata; za dve sirene; Sretifikati CE i RoHS	kom	245.00
	1 7 MAY104T LINUX ACC. Kontroler za ČETVORA VRATA OSAM PERIFERIJA (RFID ČITAČA, ILI ...) Linux - PRERIFERIJE MAX. OSAM wiegand (26, 34, 37) PERIFERIJA (RFID čitača,...), ILI - PRERIFERIJE MAX. OSAM RS485 PERIFERIJA (RFID čitača, bar code skenera, itd) - TCP/IP Kapacitet: ID 30,000; Rec. 60,000; anti-pass; on-line ili off line režim rada - Web Server (SDK) do max. 254 kontrolera - ULAZI: za četiri Exit tastera, za četiri senzora vrata; za dva PP alarma - IZLAZI (relay): za četvora vrata; za dve sirene; Sretifikati CE i RoHS	kom	345.00

Cenovnik br. 8100, strana 1 od 7

Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs .






FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	1 8 AE32 Acc. Kontroler Lift, Pretinci, ... 32 x Relay: 2xWiegand Citac; 32 x senzor vrata; 1 x PP alarm - Izlazi (relay): 32 x vrata; 2 x (PP Sirena&Svetlo) bez kutije i napajanja - TCP/IP - Web Server, opcija RS485 (do max. 254 Acc. Kontroler) - ID 120,000; Rec. 200,000; Sretifikati CE i RoHS	kom	445.00

RFID ČITAČI KARTICA - WIEGAND PLATFORMA & SAMOSTALNI

	2 1 AEM1000-125KHz RFID Čitač Kartica EM (125KHz) wiegand reading distance : 30 ~ 120mm - Max. rastojanje od Acc. Kontrolera < 150m -25°C ~ 70°C - Unutrasnja (spoljna natkrivena) primena LED (blue - green - LOGO can be customerized	kom	30.00
	2 2 AEM1000-13.56MHz RFID Čitač Kartica M1 (13.56MHz) wiegand reading distance : 30 ~ 120mm - Max. rastojanje od Acc. Kontrolera < 150m -25°C ~ 70°C - Unutrasnja (spoljna natkrivena) primena LED (blue - green - Logo: "ASPEKT" (po zahtevi možemo dodati i logo kupca, za kol. +50kom)	kom	35.00
	2 3 ADT5507EMR Citac Kartica EM: 125KHz, ili M1: 13.56MHz RS232/485 rang: 3 ~ 15cm rastojanje od Acc. < 1200m -10°C ~ 70°C	kom	35.00
	2 4 ADT5507-B Citac Kartica M1: 13.56MHz wiegan 26,32,34 or RS232, ABA) rang: 3 ~ 15cm rastojanje od Acc. < 100m -10°C ~ 70°C	kom	60.00
	2 5 RA-128 RFID Citac Kartica EM, ili M1 Wiegand 26, 34 rang: 3 ~ 12cm - rastojanje od Acc. < 150m -20°C ~ 55°C Spoljna primena buzzer - Metalno kuciste, vodo-otporno DC12V ~ 15V, bez napajanja	kom	55.00

Cenovnik br. 8100, strana 2 od 7



Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs .

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	2 7 ADT5515 RFID Citac Kartica EM: 125KHz, opcije M1 13.56MHz, HID, NFC rang: 3 ~ 7cm - Wiegand 26/34, rastojanje od Acc. < 100m Opcija RS485/RS232, od Acc. < 1200m - IP65, -45°C ~ 70°C metal case; water proof; Shockproof; anti vandal - Namijenjen za izrazito teške uslove rada	kom	65.00
	2 8 U2 RFID Citac Kartica EM, ili Mifare Wiegand 26/34 input & output & STAND ALONE - METALNO KUČIŠTE; vodo-otporno IP68; anti vandal LED, buzzer - Rang: 3 ~ 12cm rastojanje od Acc. < 150m -35°C ~ 60°C - DC12V; ID Card, Users 2000 Certification: RoHs, FCC, CE	kom	75.00
	2 11 AS1 Samostalan Sifrador + RFID Citac Primena untrasnja, ili i spoljna natkrivena, - Pvc kuciste ID Card, Users 2000 Dimenzije 88 x 108 x 35 (mm) - Ulaz i za dodatni eksterni Citac Opcije EM, ili Mifare	kom	25.00
	2 12 AS600 Citac Kartica EM, ili Mifare Wiegand & STAND ALONE Šifrador "metal keypad" - rang: 3 ~ 12cm rastojanje od Acc. < 150m -45°C ~ 60°C Spoljna primena; buzzer - metalno kučiste, vodo-otporno; anti-vandal DC12V ~ 15V - U "stand alone" režimu kapacitet 2,000 (RFID Kartica, PWD različitih) - Na "wiegand"-u kapacitet 30,000 (RFID Kartica, PWD različitih)	kom	70.00
	2 13 DT5522ID RFID Citac Kartica EM, ili M1 Tastatura & LCD Displej RS485 rang: 3 ~ 12cm - Rastojanje < 1,200m -20°C ~ 55°C Untrasnja primena buzzer DC12V ~ 15V !	kom	125.00
	2 14 DAT5503-485 Citac Kartica MF: 13.56MHz RS485 Za AED04 ACC. Kontroler Kučište PVC - Rang: ~ 8cm Rastojanje od Acc. < 1200m -30°C ~ 70°C; Napajanje 6~14VDC - Sretifikati CE i RoHS	kom	45.00


Skeneri otiska prsta i Čitači RFID Kartica

Cenovnik br. 8100, strana 3 od 7



Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs .

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	3 1 AF6-USB Fingerprint Scanner RFID (EM) REader out door metal case; water proof; anti vandal - USB; RS232; RS485; wiegand 26, 34 stand alone Fingers 1000 ID Card 1000 - 2xFinger; 1xCARD Card, ili FP Card + FP	kom	135.00
	3 2 AF2-USB Fingerprint Scanner RFID (EM) REader in door USB; RS232; RS485; wiegand 26, 34 stand alone Fingers 3000 ID Card 3000 2xFinger; 1xCARD	kom	145.00


Citac Kartica | Mag. Stripe | Wiegand26

	4 1 AHCC760-MSR Citac Kartica Mag. Stripe Wiegand26 "swipe" - kontakt - Rastojanje od Acc. < 100m -10°C ~ 70°C Metalno kuciste	kom	125.00
---	--	-----	--------

Bežični prijemnik za kontrolu pristupa sa Wiegand izlazom

	6 1 WR1-ACC Bežični prijemnik za kontrolu pristupa sa Wiegand izlazom - za EIKP (ACC.) sisteme - otključavanje vrata daljinskim upravljačem, podržava neograničen broj daljinskih upravljača - MG-REM1 i MG-RAC1, kontrola pritupa za dvoja vrata sa jednim interfejsom	kom	195.00
	6 2 REM1-ACC Daljinski upravljač sa 4 tastera, ispunava EN 50131 Security Grade 2 standard vodootporan, - do 5 različitih operacija	kom	35.00

DATA TERMINALI - ALL IN ONE


	7 1 HASY-S100EM HSY ALL IN ONE RFID Citac kartica RFID EM - 125.00KHz , opcija M1: 13.56MHz - ID: 30000, Rec: 50000 OutDoor 1 x Wiegand In	kom	245.00
--	--	-----	--------

Cenovnik br. 8100, strana 4 od 7

Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs .



FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	7 3 AE01-NET-B-LCD DATA TERMINAL AOP RFID Čitač Kartica & TASTATURA & ZVONCE LCD ETHERNET (TCP/IP) - ID Card holder: 21000, Logs 50,000 Alarm; 60,000 Events - External Card reader (1) IN on wiegand; EXIT button (1) IN; Fire alarm (1) IN - Door sensor (1) IN; Door lock NO/NC (1) OUT; Zvonce (1) NC OUT	kom	100.00
	7 4 ASAI1201 DATA TERMINAL DAHUA RFID Čitač Kartica Mifare "TOUCH" ŠIFRATOR ETHERNET RTC - 9~15VDC/200mA -30°C ~ 60°C IP 68 DTM to PC: TCP/IP - RJ45 (10/100M) - Comm In: 1 x Reader - wiegand / RS485 1 x Door sensor 1 x Exit tastar - Comm Out: 1 x Relay (Door lock) - ID 30,000; REC. (MEM) 150,000; Dimenzije:62*23*142mm; 0.5kg - Option: EM 125KHz ("D")	kom	95.00
	7 5 ACAM207M HSY LCD Data Terminal RFID Citac kartica EM - 125.00KHz 2500/20000 2 x Wiegand In - 2 x Detector In 2 x Relay Out RS485	kom	95.00
	7 7 ASC103/ASC403 DATA TERMINAL RFID (125KHz) TA+ACC EVIDENCIJA I KONTROLA PRISTUPA - TCP/IP, USB host, RS232/485; 30,000 user; 50,000 records; anti-pass back; webserver - 50 x Time Zone, 5 x Grouping, 10 x Combination Wiegand In/Out - Audio Visual Indicator: Red LED (Access denied) / Green LED (Access granted) - With Audible Beep; Dim: 159*136*40mm; 0°C ~ 45°C; RH 20% ~ 80% - Opcije: Mifare, HID, - CE, FCC, RoHS Sertifikati	kom	185.00
	7 8 ACAM103 DATA TERMINAL RFID (13.56GHz) TA+ACC EVIDENCIJA I KONTROLA PRISTUPA - TCP/IP, USB host, RS232/485; 30,000 user; 50,000 records; anti-pass back; webserver - 50 x Time Zone, 5 x Grouping, 10 x Combination Wiegand In/Out - Audio Visual Indicator: Red LED (Access denied) / Green LED (Access granted) - With Audible Beep; Dim: 159*136*40mm; 0°C ~ 45°C; RH 20% ~ 80% - Opcije: Mifare, HID, - CE, FCC, RoHS Sertifikati	kom	195.00

USB READ / WRITE





	8 116 ADT5512-HID HID PROGRAMER Interface: USB Providing many interface functions Program - HID 26,34,35,36,37,40bits compatible cards	kom	750.00
--	--	-----	--------

Cenovnik br. 8100, strana 5 od 7

Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs .


FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	8 117 AER300L NFC card issuer, send NFC UID card no. we can set card output no. format, - working with NFC mobile phone.	kom	95.00
	8 118 AER302 NFC card writer, can change Ultralight card to NFC card, provide SDK, and samples, - can identify different types of card, read and write NFC tags, - Elink make website linking automatically, - Eflow makes text input, Epurse can realize consumption, - and can save consumption records.also write person and things info. - can modify sector PSW, and initialize whole card.	kom	125.00

KONVERTERI

	11 1 APS26 KONVERTER PS2 na Wiegand 26, 34 - PS2 to Wiegand 26bit or Wiegand 34bit	kom	70.00
	11 2 AWST-WG2USB KONVERTER USB na Wiegand 26, 34 - converter support double-way transmission; Wiegand 26bit or Wiegand 34bit to USB - USB to Wiegand 26bit or Wiegand 34bit	kom	75.00
	11 5 RS232-WG KONVERTER RS232 na Wiegand 26, 34	kom	45.00
	11 5 AWST-RS2322WG KONVERTER RS232 na Wiegand 26, 34 - converter support double-way transmission; Wiegand 26bit or Wiegand 34bit to RS232 - RS232 to Wiegand 26bit or Wiegand 34bit	kom	45.00

Cenovnik br. 8100, strana 6 od 7

Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs .

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
	11 7 RS485 TO TCP/IP KONVERTER RS485 TO 10/100MB TCP/IP	kom	95.00

Cenovnik br. 8100, strana 7 od 7

Zadržavamo pravo promene cena, bez obaveze da vas o tome prethodno obavestimo. Prikazana slika proizvoda, može, ali i ne mora uvek da odgovara originalu. Za proizvode gde je CENA=0, pozovite našeg komercijalistu (063 598 033), ili uputite zahtev putem email-a: office@aspekt.rs.